



	<p>Skill Module Number: 1.1</p> <p>Subject: E-Class Wagon Bench seat, cargo accessories, and third row seat.</p>
---	--

Objective:

At the conclusion of this module, you will be able to:

- Describe operation of bench, cargo accessories, and third row seat.
- Operate bench, cargo accessories, and third row seat.

Vehicle and tools required:

- Model E320S or E500S with third row seating and cargo management system.

Required material:

- Owners manual for vehicle

Instructions:

1. Follow the instructions and answer the questions.
2. Ask your instructor if assistance is needed.
3. Stop at instructor check points.

Third Row Seats

Use owners manual as needed for all question.

1. Open third row seat back rest and place head rest in full up position. At this point does the back rest lock into position? YES NO
2. Now open up third row seat bottom. Did the back rest lock now? YES NO
3. Notice cup holder for third row seating. What limitation does Mercedes Benz place on person size for third row seating (see owners manual)?

4. In the same note for weight and height it mentions another important component that must be installed when using third row seat, what is it?

5. Next remove third row seat bottom. Then remove carpet at foot area for third row seating. Pull up on handle. What can now be accessed in this position?

6. Reinstall third row seat bottom and carpet. Then fold seat bottom down flat. Put both head rest in down and folded position on rear seat back. Where is the head rest release to fold flat? _____
7. Fold down third row seat back into floor.



Instructor check point _____

Bench Seat Operation (Second Row)

1. Rise up both seat cushions for bench seat.
2. Fold down right side seat back on bench seat. Did the front passenger seat move forward? YES NO
3. Fold left side of bench seat back down. Did the drivers' seat move? YES NO

4. Carefully remove twin roller blind. With seat backs all the way down, what can now be accessed? _____
5. Remove storage compartment. Remove cargo management kit. Install your choice of accessories from this kit. Do all cargo accessories have a lock position? YES NO
6. Put all accessories back in storage container and place back in vehicle. How is the storage compartment held in place? _____
7. Reattach twin roller blind. Fold seat backs into proper position. Take great care not to catch seat belts in latch or with seat. The seat back of the bench seat has an adjustment position. What steps must be done in order to set in the alternative position?

8. Remove the seat bottoms on the bench seat. How is this done?

9. Reinstall bench seat bottoms.



Instructor check point _____